

## RESEARCH REFERENCES

### Biomarkers

- Al-Gadani Y, El-Ansary A, Attas O, Al-Ayadhi L. Metabolic biomarkers related to oxidative stress and antioxidant status in Saudi autistic children. *Clin Biochem*. 2009 Jul;42(10-11):1032-40.
- Faber S, Zinn GM, Kern fi JC, Skip Kingston HM. The plasma zinc/serum copper ratio as a biomarker in children with autism spectrum disorders. *Biomarkers*. 2009 Mar 11:1-10.
- James SJ, Cutler P, Melnyk S, Jernigan S, Janak L, Gaylor DW, Neubrandner JA. Metabolic biomarkers of increased oxidative stress and impaired methylation capacity in children with autism. *Am J Clin Nutr*. 2004 Dec;80(6):1611-7.
- Pastural E, et al. Novel plasma phospholipid biomarkers of autism: Mitochondrial dysfunction as a putative causative mechanism. *Prostaglandins Leukot Essent Fatty Acids*. 2009 Oct;81(4):253-64.
- Yap IK, Angley M, Veselkov KA, Holmes E, Lindon JC, Nicholson JK. Urinary Metabolic Phenotyping Differentiates Children with Autism from Their Unaffected Siblings and Age-Matched Controls. *J Proteome Res*. 2010 May 13.

### Biomedical Treatment

- Bradstreet JJ, Smith S, Baral M, Rossignol DA. Biomarker-guided interventions of clinically relevant conditions associated with autism spectrum disorders and attention deficit hyperactivity disorder. *Altern Med Rev*. 2010 Apr;15(1):15-32.
- Cubała-Kucharska M. The review of most frequently occurring medical disorders related to aetiology of autism and the methods of treatment. *Acta Neurobiol Exp*. 2010, 70: 141–146.
- Goin-Kochel RP, Mackintosh VH, Myers, BJ. Parental reports on the efficacy of treatments and therapies of their children with autism spectrum disorders. *Res Autism Spectr Disord*. 2009.
- Golnik AE, Ireland M. Complementary Alternative Medicine for Children with Autism: A Physician Survey. *J Autism Dev Disord*. 2009 Mar 11.
- O'Hara NH, Szakacs GM. The recovery of a child with autism spectrum disorder through biomedical interventions. *Altern Ther Health Med*. 2008 Nov-Dec;14(6):42-4.
- Rossignol DA. Novel and emerging treatments for autism spectrum disorders: a systematic review. *Ann Clin Psychiatry*. 2009 Oct-Dec;21(4):213-36.

### Detoxification

- Adams JB, Romdalvik J, Ramanujam V.M.S., Legator MS, Mercury, Lead, and Zinc in Baby Teeth of Children with Autism vs. Controls. *J Toxicol Environ Health* 2007 70(12):1046-51.
- Adams JB, et al. The severity of autism is associated with toxic metal body burden and red blood cell glutathione levels. *J Toxicol*. 2009;2009:532640.
- Adams JB, Romdalvik J, Levine KE, Lin-Wen H. Mercury in first-cut baby hair of children with autism versus typically developing children. *Toxicol Environ Chem*. 2008, 1–14, iFirst.
- Adams JB, et al. Safety and efficacy of oral DMSA therapy for children with autism spectrum disorders: Part A--medical results & part B - behavioral results. *BMC Clin Pharmacol*. 2009 Oct 23;9:16&17.
- Alberti A, et al. Sulphation deficit in "low-functioning" autistic children: a pilot study. *Biol Psychiatry*. 1999 Aug 1;46(3):420-4.
- Aposhian HV, Maiorino RM, Dart RC, Perry DF. Urinary excretion of meso-2,3-dimercaptosuccinic acid in human subjects. *Clin Pharmacol Ther*. 1989 May;45(5):520-6
- Aremu DA, Madejczyk MS, Ballatori N. N-acetylcysteine as a potential antidote and biomonitoring agent of methylmercury exposure. *Environ Health Perspect*. 2008 Jan;116(1):26-31.
- Aschner M, Syversen T, Souza DO, Rocha JB. Metallothioneins: mercury species-specific induction and their potential role in attenuating neurotoxicity. *Exp Biol Med (Maywood)*. 2006 Oct;231(9):1468-73.
- Becker KG, Schultz ST. Similarities in features of autism and asthma and a possible link to acetaminophen use. *Med Hypotheses*. 2010 Jan;74(1):7-11.
- Beversdorf DQ, Manning SE, et al. Timing of prenatal stressors and autism. *J Autism Dev Disord* 2005; 35(4): 471-8.
- Blanusa M, et al. Chelators as antidotes of metal toxicity: therapeutic and experimental aspects. *Curr Med Chem*. 2005;12(23):2771.
- Burbacher TM, Shen DD, Liberato N, Grant KS, Cernichiari E, Clarkson T. Comparison of blood and brain mercury levels in infant monkeys exposed to methylmercury or vaccines containing thimerosal. *Environ Health Perspect*. 2005 Aug;113(8):1015-21.
- Corsello S, Fulgenzi A, Vietti D, Ferrero ME. The usefulness of chelation therapy for the remission of symptoms caused by previous treatment with mercury-containing pharmaceuticals: a case report. *Cases J*. 2009 Nov 18;2:199.
- Desoto MC, Hitlan RT. Blood Levels of Mercury Are Related to Diagnosis of Autism: A Reanalysis of an Important Data Set. *J Child Neurol*. 2007 Nov;22(11):1308-1311.
- DeSoto MC. Ockham's Razor and autism: the case for developmental neurotoxins contributing to a disease of neurodevelopment. *Neurotoxicology*. 2009 May;30(3):331-7.
- Emanuele E, et al. Low-grade endotoxemia in patients with severe autism. *Neurosci Lett*. 2010 Mar 8;471(3):162-5.
- Fonnum F, Lock EA. The contributions of excitotoxicity, glutathione depletion and DNA repair in chemically induced injury to neurones: exemplified with toxic effects on cerebellar granule cells. *J Neurochem*. 2004 Feb;88(3):513-31.
- Forman J, et al. A cluster of pediatric metallic mercury exposure cases treated with meso-2,3-dimercaptosuccinic acid (DMSA). *Environ Health Perspect*. 2000 Jun;108(6):575-7.
- Gallagher, Goodman. Hepatitis B triple series vaccine and developmental disability in US children aged 1-9 years. *Toxicol Environ Chem*. 2008 Sept: 90(5)997-1008.
- Goth SR, Chu RA, Gregg JP, Cherednichenko G, Pessah IN. Uncoupling of ATP-mediated calcium signaling and dysregulated interleukin-6 secretion in dendritic cells by nanomolar thimerosal. *Environ Health Perspect* 2006; 114(7):1083-91.

## RESEARCH REFERENCES

- Goyer RA, Cherian MG, Jones MM, Reigart JR. Role of chelating agents for prevention, intervention, and treatment of exposures to toxic metals. *Environ Health Perspect*. 1995 Nov;103(11):1048-52.
- Graziano JH, Lolacono NJ, Moulton T, Mitchell ME, Slavkovich V, Zarate C. Controlled study of meso-2,3-dimercaptosuccinic acid for the management of childhood lead intoxication. *J Pediatr*. 1992 Jan;120(1):133-9.
- Havarinasab S, Hultman P. Organic mercury compounds and autoimmunity. *Autoimmunity Rev* 2005;4:270-275.
- Havarinasab S, Haggqvist B, Bjorn E, Pollard KM, Hultman P. Immunosuppressive and autoimmune effects of thimerosal in mice. *Toxicol Appl Pharmacol*. 2005 Apr 15;204(2):109-21.
- Holmes AS, et al. Reduced levels of mercury in first baby haircuts of autistic children. *Int J Toxicol*. 2003 Jul-Aug;22(4):277-85.
- Hornig M, et al. Neurotoxic effects of postnatal thimerosal are mouse-strain dependent. *Mol Psychiatry*. 2004 Sep;9(9):833-45.
- Hunjan MK, Evered DF. Absorption of glutathione from the gastrointestinal tract. *Biochim Biophys Acta*. 1985 May 14;815(2):184.
- Hurlbut KM, et al. Determination and metabolism of dithiol chelating agents. XVI: Pharmacokinetics of 2,3-dimercapto-1-propanesulfonate after intravenous administration to human volunteers. *J Pharmacol Exp Ther*. 1994 Feb;268(2):662-8.
- Ip P, Wong V, Ho M, Lee J, Wong W. Mercury exposure in children with autistic spectrum disorder: case-control study. *J Child Neurol*. 2004 Jun;19(6):431-4.
- Kern JK, Jones AM. Evidence of toxicity, oxidative stress, and neuronal insult in autism. *J Toxicol Environ Health B Crit Rev*. 2006 Nov-Dec;9(6):485-99.
- Kern JK, et al. Sulfhydryl-reactive metals in autism. *J Toxicol Environ Health A*. 2007 Apr 15;70(8):715-21.
- Kern JK, Geier DA, Adams JB, Geier MR. A biomarker of mercury body-burden correlated with diagnostic domain specific clinical symptoms of autism spectrum disorder. *Biometals*. 2010 Jun 9.
- Lafleur DL, et al. N-acetylcysteine augmentation in serotonin reuptake inhibitor refractory obsessive-compulsive disorder. *Psychopharmacology (Berl)*. 2006 Jan;184(2):254-6.
- Lauterburg BH, Mitchell JR. Therapeutic doses of acetaminophen stimulate the turnover of cysteine and glutathione in man. *J Hepatol*. 1987 Apr;4(2):206-11.
- Lonsdale D, Shamberger RJ, Audhya T. Treatment of autism spectrum children with thiamine tetrahydrofurfuryl disulfide: a pilot study. *Neuroendocrinol Lett*. 2002 Aug;23(4):303-8.
- Makani S, Gollapudi S, Yel L, Chiplunkar S, Gupta S. Biochemical and molecular basis of thimerosal-induced apoptosis in T cells: a major role of mitochondrial pathway. *Genes Immun*. 2002 Aug;3(5):270-8.
- Mayer M, Noble M. N-acetyl-L-cysteine is a pluripotent protector against cell death and enhancer of trophic factor-mediated cell survival in vitro. *Proc Natl Acad Sci U S A*. 1994 Aug 2;91(16):7496-500.
- Miller AL. Dimercaptosuccinic acid (DMSA), a non-toxic, water-soluble treatment for heavy metal toxicity. *Altern Med Rev*. 1998 Jun;3(3):199-207.
- Minami T, Miyata E, Sakamoto Y, Yamazaki H, Ichida S. Induction of metallothionein in mouse cerebellum and cerebrum with low-dose thimerosal injection. *Cell Biol Toxicol*. 2009 Apr 9.
- Mutter J, Naumann J, et al. Mercury and autism: accelerating evidence? *Neuro Endocrinol Lett* 2005; 26(5): 439-46.
- N-acetylcysteine [No authors listed]. *Altern Med Rev*. 2000 Oct;5(5):467-71.
- Olczak M, et al. Neonatal administration of a vaccine preservative, thimerosal, produces lasting impairment of nociception and apparent activation of opioid system in rats. *Brain Res*. 2009 Dec 8;1301:143-51.
- Pasca SP, Nemes B, Vlase L, Gagyi CE, Dronca E, Miu AC, Dronca M. High levels of homocysteine and low serum paraoxonase 1 arylesterase activity in children with autism. *Life Sci*. 2006 Apr 4;78(19):2244-8.
- Pastore A et al. Analysis of glutathione: implication in redox and detoxification. *Clin Chim Acta*. 2003 Jul 1;333(1):19-39.
- Rose S, Melnyk S, et al. The frequency of polymorphisms affecting lead and mercury toxicity among children with autism. *Am J Biochem Biotechnol* 2008; 4(2): 85-94.
- Rush T, Hjeltnhaug J, Lobner D. Effects of chelators on mercury, iron, and lead neurotoxicity in cortical culture. *Neurotoxicology*. 2009 Jan;30(1):47-51.
- Schultz, ST. Can autism be triggered by acetaminophen activation of the endocannabinoid system? *Acta Neurobiol Exp* 2010, 70: 227-231.
- Shannon M, Graef JW. Lead intoxication in children with pervasive developmental disorders. *J Toxicol Clin Toxicol*. 1996;34(2):177-81.
- Stamova B, et al. Correlations Between Gene Expression and Mercury Levels in Blood of Boys With and Without Autism. *Neurotox Res*. 2009 Nov 24.
- Stangle DE, et al. Succimer chelation improves learning, attention and arousal regulation in lead-exposed rats but produces lasting cognitive impairment in the absence of lead exposure. *Environ Health Perspect*. 30 October 2006.
- Testa B, et al. Management of chronic otitis media with effusion: the role of glutathione. *Laryngoscope*. 2001 Aug;111(8):1486-9.
- Tian Y, et al. Correlations of Gene Expression with Blood Lead Levels in Children with Autism Compared to Typically Developing Controls. *Neurotox Res*. 2009 Nov 17.
- Waly M, et al. Activation of methionine synthase by insulin-like growth factor-1 and dopamine: a target for neurodevelopmental toxins and thimerosal. *Mol Psychiatry*. 2004 Apr;9(4):358-7
- Waring RH, Klovra LV. Sulphur metabolism in autism. *J Nutr Env Med*. 2000;10:25-32.
- Waring RH., et al. Biochemical parameters in autistic children. *Dev Brain Dysfunction*. 1997;10:40-43.
- Westphal GA, et al. Homozygous gene deletions of the glutathione S-transferases M1 and T1 are associated with thimerosal sensitization. *Int Arch Occup Environ Health* 2000 73(6):384-8.
- Woods JS, et al. Studies on porphyrin metabolism in the kidney. Effects of trace metals and glutathione on renal uroporphyrinogen decarboxylase. *Mol Pharmacol* 1984. 26(2): 336-41.

## **RESEARCH REFERENCES**

- Woods JS, et al. Quantitative measurement of porphyrins in biological tissues and evaluation of tissue porphyrins during toxicant exposures. *Fundam Appl Toxicol* 1993. 21(3): 291-7.
- Woods JS, et al. Urinary Porphyrin Excretion in Neurotypical and Autistic Children. *Environ Health Perspect*. 2010 Jun 24.
- Zoroglu SS, et al. Pathophysiological role of nitric oxide and adrenomedullin in autism. *Cell Biochem Funct*. 2003 Mar;21(1):55-60.

### **Environment**

- Bello SC. Autism and environmental influences: review and commentary. *Rev Environ Health* 2007; 22(2): 139-56.
- Bouchard MF, Bellinger DC, Wright RO, Weisskopf MG. Attention-deficit/hyperactivity disorder and urinary metabolites of organophosphate pesticides. *Pediatrics*. 2010 Jun;125(6):e1270-7.
- Curtis JT, Hood AN, Chen Y, Cobb GP, Wallace DR. Chronic metals ingestion by prairie voles produces sex-specific deficits in social behavior: an animal model of autism. *Behav Brain Res*. 2010 Nov 12;213(1):42-9.
- DeSoto MC, Hitlan RT. Sorting out the spinning of autism: heavy metals and the question of incidence. *Acta Neurobiol Exp* 2010, 70: 165–176.
- Deth R, et al. How environmental and genetic factors combine to cause autism: A redox/methylation hypothesis. *Neurotoxicology* 2008; 29(1): 190-201.
- Grandjean P, Landrigan PJ. Developmental neurotoxicity of industrial chemicals. *Lancet*. 2006 Dec 16;368(9553):2167-78.
- Hewitson L, Lopresti B, Stott C, Mason NS, Tomko J. Influence of pediatric vaccines on amygdala growth and opioid ligand binding in rhesus macaque infants: A pilot study. *Acta Neurobiol Exp* 2010, 70: 147–164.
- Herbert MR, Russo JP, Yang S et al. Autism and environmental genomics. *Neurotoxicology* 2006; 27(5):671-84.
- Herbert MR. Contributions of the environment and environmentally vulnerable physiology to autism spectrum disorders. *Curr Opin Neurol*. 2010 Apr;23(2):103-10
- Herbstman JB, et al. Prenatal exposure to PBDEs and neurodevelopment. *Environ Health Perspect*. 2010 May;118(5):712-9.
- Kalkbrenner AE, Daniels JL, Chen JC, Poole C, Emch M, Morrissey J. Perinatal Exposure to Hazardous Air Pollutants and Autism Spectrum Disorders at Age 8. *Epidemiology*. 2010 Jun 17.
- Kempuraj D, Asadi S, Zhang B, Manola A, Hogan J, Peterson E, Theoharides TC. Mercury induces inflammatory mediator release from human mast cells. *J Neuroinflammation*. 2010 Mar 11;7:20.
- Kinney DK, Barch DH, Chayka B, Napoleon S, Munir KM. Environmental risk factors for autism: do they help cause de novo genetic mutations that contribute to the disorder? *Med Hypotheses*. 2010 Jan;74(1):102-6.
- Kinney DK, Miller AM, et al. Autism prevalence following prenatal exposure to hurricanes and tropical storms in Louisiana. *J Autism Dev Disord* 2008; 38(3): 481-8.
- Kubota T. Epigenetics in congenital diseases and pervasive developmental disorders. *Environ Health Prev Med*. 2008 Jan;13(1):3-7.
- Landrigan PJ. What causes autism? Exploring the environmental contribution. *Curr Opin Pediatr*. 2010 Apr;22(2):219-25.
- Lanphear BP, et al. Low-level environmental lead exposure and children's intellectual function: an international pooled analysis. *Environ Health Perspect*. 2005 Jul;113(7):894-9.
- Magalhães ES, et al. Immune allergic response in Asperger syndrome. *J Neuroimmunol*. 2009 Nov 30;216(1-2):108-12.
- Majewska MD, Urbanowicz E, Rok-Bujko P, Namysowska I, Mierzejewski P. Age-dependent lower or higher levels of hair mercury in autistic children than in healthy controls. *Acta Neurobiol Exp* 2010, 70: 196–208.
- McDonald ME, Paul JF. Timing of increased autistic disorder cumulative incidence. *Environ Sci Technol*. 2010 Mar 15;44(6):2112-8
- Nataf R, Skorupka C, Amet L, Lam A, Springbett A, Lathe R. Porphyrinuria in childhood autistic disorder: implications for environmental toxicity. *Toxicol Appl Pharmacol*. 2006 Jul 15;214(2):99-108.
- Palmer RF, Blanchard S, Stein Z, Mandell D, Miller C. Environmental mercury release, special education rates, and autism disorder: an ecological study of Texas. *Health Place*. 2006 Jun;12(2):203-9.
- Palmer RF, Blanchard S, Wood R. Proximity to point sources of environmental mercury release as a predictor of autism prevalence. *Health Place*. 2008 Feb 12.
- Rea WJ, Didriksen N, Simon TR, Pan Y, Fenyves EJ, Griffiths B. Effects of toxic exposure to molds and mycotoxins in building-related illnesses. *Arch Environ Health*. 2003 Jul;58(7):399-405.
- Shaw W. Increased urinary excretion of a 3-(3-hydroxyphenyl)-3-hydroxypropionic acid (HPPA), an abnormal phenylalanine metabolite of Clostridia spp. in the gastrointestinal tract, in urine samples from patients with autism and schizophrenia. *Nutr Neurosci*. 2010 Jun;13(3):135-43.
- Windham G, Zhang L, Gunier R, Croen L, Grether J. Autism Spectrum Disorders in Relation to Distribution of Hazardous Air Pollutants in the San Francisco Bay Area. *Environ Health Perspect*. 2006 Sep;114(9):1438-44.
- Woods JS. Altered porphyrin metabolism as a biomarker of mercury exposure and toxicity. *Can J Physiol Pharmacol* 1996. 74(2).
- Yorbik O, Kurt I, Haşimi A, Oztürk O. Chromium, cadmium, and lead levels in urine of children with autism and typically developing controls. *Biol Trace Elem Res*. 2010 Jun;135(1-3):10-5.

### **Gastrointestinal System**

- Afzal N, et al. Constipation with acquired megarectum in children with autism. *Pediatrics*. 2003 Oct;112(4):939-42.
- Arvilommi H, Isolauri E, Kalliomäki M, Pousa T, Salminen S. Probiotics and prevention of atopic disease: 4-year follow-up of a randomised placebo-controlled trial. *Lancet*. 2003 361(9372):1869-71.
- Ashwood P et al. Intestinal lymphocyte populations in children with regressive autism: evidence for extensive mucosal immunopathology. *J Clin Immunol*. 2003 Nov;23(6):504-17.
- Ashwood P, Wakefield AJ. Immune activation of peripheral blood and mucosal CD3+ lymphocyte cytokine profiles in children with autism and gastrointestinal symptoms. *J Neuroimmunol*. 2006 Apr;173(1-2):126-34.

## RESEARCH REFERENCES

- Balzola F, Barbon V, Repici A, Rizzetto M. Panenteric IBD-like disease in a patient with regressive autism shown for the first time by the wireless capsule endoscopy: another piece in the jigsaw of this gut-brain syndrome? *Am J Gastro*. 2005; 979-981.
- Balzola F, et al. Autistic enterocolitis: confirmation of a new inflammatory bowel disease in an Italian cohort of patients. *Gastroenterology*. 2005;128:Suppl.2:A-303.
- Balzola F, et al. Beneficial behavioural effects of IBD therapy and gluten/casein-free diet in an Italian cohort of patients with autistic enterocolitis followed over one year. *Gastroenterology*, April 2006 Vol 130 Number 4 suppl. 2 S1364 A-21.
- Biloo AG, Memon MA, Khaskheli SA, et al. Role of probiotic *Saccharomyces boulardii* in management and prevention of diarrhea. *World J Gastroenterol*. 2006;12:4557-4560.
- Buie T, et al. Evaluation, diagnosis, and treatment of gastrointestinal disorders in individuals with ASDs: a consensus report. *Pediatrics*. 2010 Jan;125 Suppl 1:S1-18.
- Buie T, Fuchs GJ 3rd, Furuta GT, Kooros K, Levy J, Lewis JD, Wershil BK, Winter H. Recommendations for evaluation and treatment of common gastrointestinal problems in children with ASDs. *Pediatrics*. 2010 Jan;125 Suppl 1:S19-29.
- Buts JP, De Keyser N. Effects of *Saccharomyces boulardii* on intestinal mucosa. *Dig Dis Sci*. 2006 Aug;51(8):1485-92.
- Cade R, et al. Autism and schizophrenia: intestinal disorders. *Nutritional Neuroscience* 3: 57-72, 2000.
- Cade JR, et al. Autism and schizophrenia linked to malfunctioning enzyme for milk protein digestion. *Autism*, Mar 1999.
- Chen B, Girgis S, El-Matary W. Childhood autism and eosinophilic colitis. *Digestion*. 2010;81(2):127-9.
- DeFelice ML, et al. Intestinal cytokines in children with pervasive developmental disorders. *Am J Gastroenterol* 98(8): 1777-82: 2003.
- del Giudice MM, Brunese FP. Probiotics, prebiotics, and allergy in children: what's new in the last year? *J Clin Gastroenterol*. 2008 Sep;42 Suppl 3 Pt 2:S205-8.
- D'Eufemia P, et al. Abnormal intestinal permeability in children with autism. *Acta Paediatr*. 1996 Sep;85(9):1076-9.
- Fedorak RN, Madsen KL. Probiotics and the management of inflammatory bowel disease. *Inflamm Bowel Dis*. 2004 May;10(3):286.
- Furlano RI, et al. Colonic CD8 and gamma delta T-cell infiltration with epithelial damage in children with autism. *J Pediatr*. 2001 Mar;138(3):366-72.
- Galiatsatos P, et al. Autistic enterocolitis: fact or fiction? *Can J Gastroenterol* 2009;23(2):95-98.
- Genius SJ, Bouchard TP. Celiac Disease Presenting as Autism. *J Child Neurol*. 2009 Jun 29.
- Gonzalez L, Lopez K, Navarro D, Negron L, Flores L, Rodriguez R, Martinez M, Sabra A. Endoscopic and Histological Characteristics of the digestive mucosa in autistic children with gastrointestinal symptoms. *Arch Venez Pueric Pediatr* 69;1:19-25
- Hassall E. Decisions in diagnosing and managing chronic gastroesophageal reflux disease in children. *J Pediatr*. 2005 Mar;146(3 Suppl):S3-12.
- Horvath K et al. Gastrointestinal abnormalities in children with autistic disorder. *J Pediatr*. 1999 Nov;135(5):559-63.
- Horvath K, Perman JA. Autism and gastrointestinal symptoms. *Curr Gastroenterol Rep*. 2002 Jun;4(3):251-8.
- Horvath K, Perman JA. Autistic disorder and gastrointestinal disease. *Curr Opin Pediatr*. 2002 Oct;14(5):583-7.
- Iacono G et al. Intolerance of cow's milk and chronic constipation in children. *N Engl J Med*. 1998 Oct 15;339(16):1100-4.
- Işeri SO, Sener G, Sağlam B, Gedik N, Ercan F, Yeğen BC. Oxytocin ameliorates oxidative colonic inflammation by a neutrophil-dependent mechanism. *Peptides*. 2005 Mar;26(3):483-91.
- Kawashima H et al. Detection and sequencing of measles virus from peripheral mononuclear cells from patients with inflammatory bowel disease and autism. *Dig Dis Sci*. 2000 Apr;45(4):723-9.
- Kazek B, et al. Platelet and intestinal 5-HT<sub>2A</sub> receptor mRNA in autistic spectrum disorders – results of a pilot study. *Acta Neurobiol Exp* 2010, 70: 232–238.
- Koch TR, et al. Induction of enlarged intestinal lymphoid aggregates during acute glutathione depletion in a murine model. *Dig Dis Sci* 2000. 45(11): 2115-21.
- Kuddo T, Nelson KB. How common are gastrointestinal disorders in children with autism. *Curr Opin Pediatr* 2003: 15(3); 339-343.
- Kushak R, Winter H, Farber N, Buie T. Gastrointestinal symptoms and intestinal disaccharidase activities in children with autism. Abstract of presentation to the North American Society of Pediatric Gastroenterology, Hepatology, and Nutrition, Annual Meeting, October 20-22, 2005, Salt Lake City, Utah.
- Levy S, et al. Children with autistic spectrum disorders. I: Comparison of placebo and single dose of human synthetic secretin. *Arch Dis Child*. 2003;88:731-736.
- Macdonald A. Omega-3 fatty acids as adjunctive therapy in Crohn's disease. *Gastroenterol Nurs*. 2006 Jul-Aug;29(4):295-301.
- McGinnis WR. Mercury and autistic gut disease. *Environ Health Perspect*. 2001 Jul;109(7):A303-4.
- Melmed RD, Schneider CK, Fabes RA. Metabolic markers and gastrointestinal symptoms in children with autism and related disorders. *J Pediatr Gastroenterol Nutr* 2000;31(suppl 2):S31-32.
- Nikolov, RN, et al, Gastrointestinal symptoms in a sample of children with pervasive developmental disorders. *J Autism Dev Disord*. 2009 Mar;39(3):405-13.
- Parracho HM, Bingham MO, Gibson GR, McCartney AL. Differences between the gut microflora of children with autistic spectrum disorders and that of healthy children. *J Med Microbiol*. 2005 Oct;54(Pt 10):987-91.
- Quigley EM, Hurlley D. Autism and the gastrointestinal tract. *Am J Gastroenterol*. 2000 Sep;95(9):2154-6.
- Reichelt KL, Knivsberg AM. Can the pathophysiology of autism be explained by the nature of the discovered urine peptides? *Nutr Neurosci*. 2003 Feb;6(1):19-28.
- Reichelt KL, et al. Probable Etiology and Possible Treatment of Childhood Autism. *Brain Dysfunct* 1991; 4: 308-319.
- Reichelt KL, Knivsberg AM. The possibility and probability of a gut-to-brain connection in autism. *Ann Clin Psychiatry*. 2009 Oct-Dec;21(4):205-11.
- Rimland, B. Secretin treatment for autism. *N Engl J Med* 2000. 342(16): 1216-7; author reply 1218.

## RESEARCH REFERENCES

- Romano C, et al. Usefulness of omega-3 fatty acid supplementation in addition to mesalazine in maintaining remission in pediatric Crohn's disease: a double-blind, randomized, placebo-controlled study. *World J Gastroenterol*. 2005 Dec 7;11(45):7118-21.
- Sandler RH, et al. Short-term benefit from oral vancomycin treatment of regressive-onset autism. *J Child Neurol*. 2000 Jul;15(7):429.
- Schneider CK, Melmed RD, Barstow LE, Enriquez FJ, Ranger-Moore J, Ostrem JA. Oral Human Immunoglobulin for Children with Autism and Gastrointestinal Dysfunction: A Prospective, Open-Label Study. *J Autism Dev Disord*. 2006 Jul 15.
- Sido B, Hack V, Hochlehnert A, Lipps H, Herfarth C, Droge W. Impairment of intestinal glutathione synthesis in patients with inflammatory bowel disease. *Gut*. 1998 Apr;42(4):485-92.
- Sienkiewicz-Szapka E, et al. Transport of bovine milk derived opioid peptides across a Caco-2 monolayer, *Int Dairy J*. 2008.
- Song Y, Liu C, Finegold SM. Real-time PCR quantitation of clostridia in feces of autistic children. *Appl Environ Microbiol*. 2004 Nov;70(11):6459-65.
- Sturmiolo, G.C., et al. Zinc supplementation tightens "leaky gut" in Crohn's disease. *Inflamm Bowel Dis*, 2001. 7(2): p. 94-8.
- Taylor B, Miller E, Lingam R, Andrews N, Simmons A, Stowe J. Measles, mumps, and rubella vaccination and bowel problems or developmental regression in children with autism: population study. *BMJ*. 2002 Feb 16;324(7334):393-6.
- Torrente F, Anthony A. Focal-enhanced gastritis in regressive autism with features distinct from Crohn's disease and helicobacter Pylori gastritis. *Am J Gastroenterol* 2004 Apr;99(4):598-605.
- Torrente F et al. Small intestinal enteropathy with epithelial IgG and complement deposition in children with regressive autism. *Mol Psychiatry*. 2002;7(4):375-82, 334.
- Valicenti-McDermott M, et al. Frequency of gastrointestinal symptoms in children with autistic spectrum disorders and association with family history of autoimmune disease. *J Dev Behav Pediatr*. 2006 Apr;27(2 Suppl):S128-36.
- Valicenti-McDermott MD, McVicar K, Cohen HJ, Wershil BK, Shinnar S. Gastrointestinal symptoms in children with an autism spectrum disorder and language regression. *Pediatr Neurol*. 2008 Dec;39(6):392-8.
- Wakefield AJ, Ashwood P, Limb K, Anthony A. The significance of ileo-colonic lymphoid nodular hyperplasia in children with autistic spectrum disorder. *Eur J Gastroenterol Hepatol*. 2005 Aug;17(8):827-36.
- Wakefield AJ. Enterocolitis, autism and measles virus. *Mol Psychiatry*. 2002;7 Suppl 2:S44-6.
- Wakefield AJ. The gut-brain axis in childhood developmental disorders. *J Pediatr Gastroenterol Nutr*. 2002 May-Jun;34 Suppl 1:S14-7.
- Wakefield AJ et al. Review article: the concept of enterocolonic encephalopathy, autism and opioid receptor ligands. *Aliment Pharmacol Ther* 2002 16(4):663-74.
- Wakefield AJ, et al. Autism, viral infection and measles-mumps-rubella vaccination. *Isr Med Assoc J*. 1999 Nov;1(3):183-7.
- Wakefield AJ. MMR vaccination and autism. *Lancet*. 1999 Sep 11;354(9182):949-50.
- Welch MG, Welch-Horan TB, Anwar M, Anwar N, Ludwig RJ, Ruggiero DA. Brain effects of chronic IBD in areas abnormal in autism and treatment by single neuropeptides secretin and oxytocin. *J Mol Neurosci* 2005; 25(3):259-74.
- White JF. Intestinal pathophysiology in autism. *Exp Biol Med (Maywood)*. 2003 Jun;228(6):639-49.
- Whiteley P, Shattock P. Biochemical aspects in autism spectrum disorders: updating the opioid-excess theory and presenting new opportunities for biomedical intervention. *Expert Opin Ther Targets*. 2002 Apr;6(2):175-83.

### Genetics

- Blasi F, Bacchelli E, et al. SLC25A12 and CMYA3 gene variants are not associated with autism in the IMGSAC multiplex family sample. *Eur J Hum Genet* 14(1): 123-6, 2006.
- Boris M, Goldblatt A, Galanko J, James J. Association of MTHFR gene variants with autism. *J Am Phys Surg*. 2004;9(4)106-8.
- Brimacombe M, Xue Ming, Parikh A. Familial risk factors in autism. *J Child Neurol*. 2007 May;22(5):593-7.
- Campbell DB, et al. A genetic variant that disrupts MET transcription is associated with autism. *Proc Natl Acad Sci U S A*. 2006 Oct.
- Campbell DB, et al. Distinct Genetic Risk Based on Association of MET in Families With Co-occurring Autism and Gastrointestinal Conditions. *Pediatrics*. Doi: 10.1542/peds.2008-0819.
- Campbell DB, et al. Association of MET with social and communication phenotypes in individuals with autism spectrum disorder. *Am J Med Genet B Neuropsychiatr Genet*. 2010 Mar 5;153B(2):438-46.
- Comi AM, Zimmerman AW, Frye VH, Law PA, Peeden JN. Familial clustering of autoimmune disorders and evaluation of medical risk factors in autism. *J Child Neurol*. 1999 Jun;14(6):388-94.
- Gregg JP et al. Gene expression changes in children with autism. *Genomics*. 2008 Jan;91(1):22-29. Gregory SG, et al. Genomic and epigenetic evidence for oxytocin receptor deficiency in autism. *BMC Med*. 2009 Oct 22;7:62.
- James SJ, et al. A functional polymorphism in the reduced folate carrier gene and DNA hypomethylation in mothers of children with autism. *Am J Med Genet B Neuropsychiatr Genet*. 2010 May 12.
- Junaid MA, Kowal D, et al. Proteomic studies identified a single nucleotide polymorphism in glyoxalase I as autism susceptibility factor. *Am J Med Genet A* 2004; 131(1): 11-7.
- Korvatska E, et al. Genetic and immunologic considerations in autism. *Neurobiol Dis*. 2002 Mar;9(2):107-25.
- Molloy CA, et al. Familial autoimmune thyroid disease as a risk factor for regression in children with Autism Spectrum Disorder: a CPEA Study. *J Autism Dev Disord*. 2006 Apr;36(3):317-24.
- Pasca SP, Dronca E, Kaucsar T, et al. One Carbon Metabolism Disturbances and the C667T MTHFR Gene Polymorphism in Children with Autism Spectrum Disorders. *J Cell Molec Med*. Aug 2008.
- Persico AM, et al. Adenosine deaminase alleles and autistic disorder: case-control and family-based association studies. *Am J Med Genet* 2000 Dec 4;96(6):784-90.
- Pinto D, et al. Functional impact of global rare copy number variation in autism spectrum disorders. *Nature*. 2010 Jun 9.
- Santos PA, Longo D, Brandalize AP, Schüler-Faccini L. MTHFR C677T is not a risk factor for autism spectrum disorders in South

## RESEARCH REFERENCES

Brazil. *Psychiatr Genet*. 2010 Apr 30.

- Szatmari P. Heterogeneity and the genetics of autism. *J Psychiatry Neurosci*. 1999 Mar;24(2):159-65.
- Torres AR, et al. The association and linkage of the HLA-A2 class I allele with autism. *Hum Immunol*. 2006 Apr-May;67(4-5):346-1.
- Ueland PM, Hustad S, Schneede J, Refsum H, Vollset SE. Biological and clinical implications of the MTHFR C677T polymorphism. *Trends Pharmacol Sci*. 2001 Apr;22(4):195-201.
- Williams TA, Mars AE, et al. Risk of autistic disorder in affected offspring of mothers with a glutathione S-transferase P1 haplotype. *Arch Pediatr Adolesc Med* 2007; 161(4): 356-61.

### Immune System

- Ashwood P, Kwong C, Hansen R, Hertz-Picciotto I, Croen L, Krakowiak P, Walker W, Pessah IN, Van de Water J. Brief report: plasma leptin levels are elevated in autism: association with early onset phenotype? *J Autism Dev Disord*. 2008 Jan;38(1):169-75.
- Ashwood P, et al. Spontaneous mucosal lymphocyte cytokine profiles in children with autism and gastrointestinal symptoms: mucosal immune activation and reduced counter regulatory interleukin-10. *J Clin Immunol*. 2004 Nov;24(6):664-73.
- Ashwood P, Van de Water J. Is autism an autoimmune disease? *Autoimmun Rev*. 2004 Nov;3(7-8):557-62.
- Ashwood P, et al. The immune response in autism: a new frontier for autism research. *J Leuk Biol*. 2006 Jul;80:1-15.
- Atladóttir HO, et al. Association of Family History of Autoimmune Diseases and Autism Spectrum Disorders. *Pediatrics*. 2009 Jul 5.
- Boris M, et al. Improvement in children treated with intravenous gamma globulin. *J Nutr Environmental Med*. Dec 2006; 15(4):1-8.
- Boris M, et al. Effect of Pioglitazone treatment on behavioral symptoms in autistic children. *J Neuroinflammation*. 2007 Jan 5;4:3.
- Bradstreet JJ, Smith S, Granpeesheh D, El-Dahr JM, Rossignol D. Spironolactone Might be a Desirable Immunologic and Hormonal Intervention in Autism Spectrum Disorders. *Med Hypotheses*. 2006 Dec 4.
- Braunschweig D, et al. Autism: Maternally derived antibodies specific for fetal brain proteins. *Neurotoxicology*. 2007 Nov 6.
- Bray TM, Taylor CG. Enhancement of tissue glutathione for antioxidant and immune functions in malnutrition. *Biochem Pharmacol*. 1994 Jun 15;47(12):2113-23.
- Cabanlit M, Wills S, Goines P, Ashwood P, Van de Water J. Brain-specific autoantibodies in the plasma of subjects with autistic spectrum disorder. *Ann N Y Acad Sci*. 2007 Jun;1107:92-103.
- Cave SF. The history of vaccinations in the light of the autism epidemic. *Altern Ther Health Med*. 2008 Nov-Dec;14(6):54-7.
- Chinetti G, Fruchart JC, Staels B. Peroxisome proliferators-activated receptors (PPAR): nuclear receptors at the crossroads between lipid metabolism and inflammation. *Inflamm Res* 2000;49:497-505.
- Cohly HH, Panja A. Immunological findings in autism. *Int Rev Neurobiol*. 2005;71:317-41.
- Chmelik, E., N. Awadallah, et al. (2004). Varied presentation of PANDAS: a case series. *Clin Pediatr (Phila)* 43(4): 379-82.
- Connolly AM, Chez MG, Pestronk A, Arnold ST, Mehta S, Deuel RK. Serum autoantibodies to brain in Landau-Kleffner variant, autism, and other neurologic disorders. *J Pediatr*. 1999 May;134(5):607-13.
- Croen LA, Grether JK, Yoshida CK, Odouli R, Van de Water J. Maternal autoimmune diseases, asthma and allergies, and childhood autism spectrum disorders: a case-control study. *Arch Pediatr Adolesc Med*. 2005 Feb;159(2):151-7.
- Croonenberghs J, Wauters A, Devreese K, Verkerk R, Scharpe S, Bosmans E, Egyed B, Deboutte D, Maes M. Increased serum albumin, gamma globulin, immunoglobulin IgG, and IgG2 and IgG4 in autism. *Psychol Med*. 2002 Nov;32(8):1457-63.
- Croonenberghs J, et al. Activation of the inflammatory response system in autism. *Neuropsychobiology* 2002, 45(1):1-6.
- Cross ML. Immune-signalling by orally-delivered probiotic bacteria: effects on common mucosal immunoresponses and protection at distal mucosal sites. *Int J Immunopathol Pharmacol*. 2004 May-Aug;17(2):127-34.
- Dalton P, et al. Maternal neuronal antibodies associated with autism and a language disorder. *Ann Neurol*. 2003 Apr;53(4):533-7.
- DelGiudice-Asch G, Simon L, Schmeidler J, Cunningham-Rundles C, Hollander E. Brief report: A pilot open clinical trial of intravenous immunoglobulin in childhood autism. *J Autism Dev Disord*. 1999;29(2):157-60.
- Denney DR, et al. Lymphocyte subsets and interleukin-2 receptors in autistic children. *J Autism Dev Disord*. 1996 Feb;26(1):87-97.
- Dietert RR, Dietert JM. Potential for early-life immune insult including developmental immunotoxicity in autism and autism spectrum disorders: focus on critical windows of immune vulnerability. *J Toxicol Environ Health B Crit Rev*. 2008 Oct;11(8):660-80.
- Drakes M, Blanchard T, Czinn S. Bacterial probiotic modulation of dendritic cells. *Infect Immun*. 2004 Jun;72(6):3299-309.
- Droge W, Breitkreutz R. Glutathione and immune function. *Proc Nutr Soc*. 2000 Nov;59(4):595-600.
- Enstrom A, et al. Increased IgG4 levels in children with autism disorder. *Brain Behav Immun*. 2009 Mar;23(3):389-95.
- Enstrom AM, et al. Altered gene expression and function of peripheral blood natural killer cells in children with autism. *Brain Behav Immun*. 2009 Jan;23(1):124-33.
- Elchaar GM, Maisch NM, Augusto LM, Wehring HJ. Efficacy and safety of naltrexone use in pediatric patients with autistic disorder. *Ann Pharmacother*. 2006 Jun;40(6):1086-95.
- Engstrom HA, Ohlson S, Stubbs EG, Maciulis A, Caldwell V, Odell JD, Torres A.R. Decreased Expression of CD95 (FAS/APO-1) on CD4+ T-lymphocytes from Participants with Autism. *J Dev Phys Disabil*. 2003 Jun 15;2:155-163(9).
- Ferrante P, Saresella M, Guerini FR, Marzorati M, Musetti MC, Cazzullo AG. Significant association of HLA A2-DR11 with CD4 naive decrease in autistic children. *Biomed Pharmacother*. 2003 Oct;57(8):372-4.
- Feinstein DL. Therapeutic potential of peroxisome proliferator-activated receptor agonists for neurological disease. *Diabetes Technol Ther*. 2003;5(1):67-73.
- Furlano RI, et al. Autism and the immune system. *J Child Psychol Psychiatry*. 1997 Mar;38(3):337-49.
- Geier DA, Mumper E, Gladfelter B, Coleman L, Geier MR. Neurodevelopmental disorders, maternal Rh-negativity, and Rho(D) immune globulins: a multi-center assessment. *Neuro Endocrinol Lett*. 2008 Apr;29(2):272-80.
- Goines P, Van de Water J. The immune system's role in the biology of autism. *Curr Opin Neurol*. 2010 Apr;23(2):111-7.

## RESEARCH REFERENCES

- Gupta S. Immunological treatments for autism. *J Autism Dev Disord*. 2000 Oct;30(5):475-9.
- Gupta S, Aggarwal S, Heads C. Dysregulated immune system in children with autism: beneficial effects of intravenous immune globulin on autistic characteristics. *J Autism Dev Disord*. 1996 Aug;26(4):439-52.
- Gupta S, Samra D, Agrawal S. Adaptive and Innate Immune Responses in Autism: Rationale for Therapeutic Use of Intravenous Immunoglobulin. *J Clin Immunol*. 2010 Apr 15.
- Singh VK. Phenotypic expression of autoimmune autistic disorder (AAD): a major subset of autism. *Ann Clin Psychiatry*. 2009 Jul-Sep;21(3):148-61.
- Gupta S, et al. Th1- and Th2-like cytokines in CD4+ and CD8+ T cells in autism. *J Neuroimmunol*. 1998 May 1;85(1):106-9.
- Hertz-Picciotto I, Park HY, Dostal M, Kocan A, Trnovec T, Sram R. Prenatal exposures to persistent and non-persistent organic compounds and effects on immune system development. *Basic Clin Pharmacol Toxicol*. 2008 Feb;102(2):146-54.
- Heuer L, Ashwood P, Schauer J, Goines P, Krakowiak P, Hertz-Picciotto I, Hansen R, Croen LA, Pessah IN, Van de Water J. Reduced levels of immunoglobulin in children with autism correlates with behavioral symptoms. *Autism Res*. 2008 Oct;1(5):275.
- Jyonouchi H, et al. Evaluation of an association between gastrointestinal symptoms and cytokine production against common dietary proteins in children with autism spectrum disorders. *J Pediatr*. 2005 May;146(5): 605-10.
- Jyonouchi H. Food allergy and autism spectrum disorders: is there a link? *Curr Allergy Asthma Rep*. 2009 May;9(3):194-201.
- Jyonouchi H, Geng L, Cushing-Ruby A, Quraishi H. Impact of innate immunity in a subset of children with autism spectrum disorders: a case control study. *J Neuroinflammation*. 2008 Nov 21;5(1):52.
- Jyonouchi H, Sun S, Le H. Proinflammatory and regulatory cytokine production associated with innate and adaptive immune responses in children with autism spectrum disorders and developmental regression. *J Neuroimmunol*. 2001 Nov 1;120(1-2):170-9.
- Jyonouchi H, Sun S, Itokazu N. Innate immunity associated with inflammatory responses and cytokine production against common dietary proteins in patients with autism spectrum disorder. *Neuropsychobiology*. 2002;46(2):76-84.
- Jyonouchi H, Geng L, Ruby A, Zimmerman-Bier B. Dysregulated innate immune responses in young children with autism spectrum disorders: their relationship to gastrointestinal symptoms and dietary intervention. *Neuropsychobiology*. 2005;51(2):77-85.
- Kelly GS. Bovine colostrums: a review of clinical uses. *Altern Med Rev*. 2003 Nov;8(4):378-94.
- Kelly A, Khan K. Prevalence of allergies in children with complex medical problems. *Clin Pediatr (Phila)*. 2008 Oct;47(8):809-16.
- Kidd PM. Autism, an extreme challenge to integrative medicine. Part 2: medical management. *Altern Med Rev*. 2002 Dec;7(6):472-.
- Kirjavainen PV, et al. New aspects of probiotics—a novel approach in the management of food allergy. *Allergy*. 1999 Sep;54(9):909.
- Knickmeyer R, Baron-Cohen S, Raggatt P, Taylor K. Foetal testosterone, social relationships, and restricted interests in children. *J Child Psychol Psychiatry*. 2005 Feb;46(2):198-210.
- Konstantareas MM, Homatidis S. Ear infections in autistic and normal children. *J Autism Dev Disord*. 1987 Dec;17(4):585-94.
- Koski CL, Patterson JV. Intravenous immunoglobulin use for neurologic diseases. *J Infus Nurs*. 2006 May-Jun;29(3 Suppl):S21-8.
- Krause I, et al. Brief report: immune factors in autism: a critical review. *J Autism Dev Disord*. 2002 Aug;32(4):337-45.
- Li X, et al. Elevated immune response in the brain of autistic patients. *J Neuroimmunol*. 2009 Jan 19.
- Lipkin WI, Hornig M. Microbiology and immunology of autism spectrum disorders. *Novartis Found Symp*. 2003;251:129-43; discussion 144-8, 281-97.
- Lucarelli S et al. Food allergy and infantile autism. *Panminerva Med*. 1995 Sep;37(3):137-41.
- Magalhães ES, et al. Immune allergic response in Asperger syndrome. *J Neuroimmunol*. 2009 Nov 30;216(1-2):108-12.
- March JS. Pediatric Autoimmune Neuropsychiatric Disorders Associated With Streptococcal Infection (PANDAS): implications for clinical practice. *Arch Pediatr Adolesc Med* 2004, 158(9): 927-9.
- Martin LA, Ashwood P, Braunschweig D, Cabanlit M, Van de Water J, Amaral DG. Stereotypies and hyperactivity in rhesus monkeys exposed to IgG from mothers of children with autism. *Brain Behav Immun*. 2008 Feb 7.
- Messahel S, et al. Urinary levels of neopterin and biopterin in autism. *Neurosci Lett* 1998, 241(1): 17-20.
- McDonald KL, Huq SI, Lix LM, Becker AB, Kozyrskyj AL. Delay in diphtheria, pertussis, tetanus vaccination is associated with a reduced risk of childhood asthma. *J Allergy Clin Immunol*. 2008
- Meffert M, Baltimore D. Physiological Functions of brain NF-KB. *Trends in Neurosciences*. 2005;28(1):37-43.
- Meyer U, Nyffeler M, Engler A, Urwyler A, Schedlowski M, Knuesel I, Yee BK, Feldon J. The time of prenatal immune challenge determines the specificity of inflammation-mediated brain and behavioral pathology. *J Neurosci*. 2006 May 3;26(18):4752-62.
- Molloy C, et al. Elevated cytokine levels in children with autism spectrum disorder. *J Neuroimmunology*. 2006;172:198-205.
- Mostafa GA, El-Sayed ZA, El-Aziz MM, El-Sayed MF. Serum anti-myelin-associated glycoprotein antibodies in Egyptian autistic children. *J Child Neurol*. 2008 Dec;23(12):1413-8.
- Mouridsen SE, Rich B, Isager T, Nedergaard NJ. Autoimmune diseases in parents of children with infantile autism: a case-control study. *Dev Med Child Neurol*. 2008 Jun;49(6):429-32.
- Niehus R, Lord C. Early medical history of children with autism spectrum disorders. *J Dev Behav Pediatr*. 2006 Apr;27(2 Suppl):S120-7.
- Okada K, et al. Decreased serum levels of transforming growth factor-beta1 in patients with autism. *Prog Neuropsychopharmacol Biol Psychiatry*. 2006 Oct 5.
- Pardo CA, et al. Immunity, neuroglia and neuroinflammation in autism. *Int Rev Psychiatry*. 2005 Dec;17(6):485-95.
- Patterson PH. Immune involvement in schizophrenia and autism: Etiology, pathology and animal models. *Behav Brain Res*. 2008 Dec.
- Pessah IN, et al. Immunologic and neurodevelopmental susceptibilities of autism. *Neurotoxicology*. 2008.
- Pliplys AV. Intravenous immunoglobulin treatment of children with autism. *J Child Neurol*. 1998 Feb;13(2):79-82.
- Rampasad GC, et al. Chemical compounds that target thiol-disulfide groups on mononuclear phagocytes inhibit immune mediated phagocytosis of red blood cells. *Transfusion* 2005, 45(3): 384-93.
- Reichenberg A, et al. Cytokine-associated emotional and cognitive disturbances in humans. *Arch Gen Psychiatry* 2001, 58(5): 445.

## RESEARCH REFERENCES

- Schneider CK, Melmed RD, Barstow LE, Enriquez FJ, Ranger-Moore J, Ostrem JA. Oral Human Immunoglobulin for Children with Autism and Gastrointestinal Dysfunction: A Prospective, Open-Label Study. *J Autism Dev Disord*. 2006 Jul 15.
- Scifo R, et al. Opioid-immune interactions in autism: behavioural and immunological assessment during a double-blind treatment with naltrexone. *Ann Ist Super Sanita*. 1996;32(3):351-9.
- Silva SC, et al. Autoantibody repertoires to brain tissue in autism nuclear families. *J Neuroimmunol*. 2004 Jul;152(1-2):176-82.
- Singer HS, et al. Antibrain antibodies in children with autism and their unaffected siblings. *J Neuroimmunol*. 2006 Sep;178(1-2):149.
- Singer HS, et al. Antibodies against fetal brain in sera of mothers with autistic children. *J Neuroimmunol*. 2008 Feb;194(1-2):165-72.
- Singh VK. Plasma increase of interleukin-12 and interferon-gamma. Pathological significance in autism. *J Neuroimmunol*. 1996 May;66(1-2):143-5.
- Singh VK. Th1- and Th2-like cytokines in CD4+ and CD8+ T cells in autism. *J Neuroimmunol*. 1998 May 1;85(1):106-9.
- Singh VK, et al. Circulating autoantibodies to neuronal and glial filament proteins in autism. *Pediatr Neurol*. 1997 Jul;17(1):88-90.
- Singh VK, et al. Antibodies to myelin basic protein in children with autistic behavior. *Brain Behav Immun*. 1993 Mar;7(1):97-103.
- Singh VK, Singh EA, Warren RP. Hyperserotoninemia and serotonin receptor antibodies in children with autism but not mental retardation. *Biol Psychiatry*. 1997 Mar 15;41(6):753-5.
- Singh VK, et al. Prevalence of serum antibodies to caudate nucleus in autistic children. *Neurosci Lett*. 2004 Jan 23;355(1-2):53-6.
- Siragam V, Crow AR, Brinc D, Song S, Freedman J, Lazarus AH. Intravenous immunoglobulin ameliorates ITP via activating Fc gamma receptors on dendritic cells. *Nat Med*. 2006 Jun;12(6):688-92.
- Stubbs EG, et al. Depressed lymphocyte responsiveness in autistic children. *J Autism Child Schizophr*. 1977 Mar;7(1):49-55.
- Stubbs EG, Budden SS, Burger DR, Vandenbark AA. Transfer factor immunotherapy of an autistic child with congenital cytomegalovirus. *J Autism Dev Disord*. 1980 Dec;10(4):451-8.
- Suh JH, Walsh WJ, McGinnis WR, Lewis A, Ames BN. Altered Sulfur Amino Acid Metabolism In Immune Cells of Children Diagnosed With Autism. *Am J Biochem Biotechnol* 4(2): 105-113, 2008.
- Swedo SE, et al. Pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections: clinical description of the first 50 cases. *Am J Psychiatry*. 1998 Feb;155(2):264-71.
- Swedo SE, Leonard HL, Rapoport JL. The pediatric autoimmune neuropsychiatric disorders associated with streptococcal infection (PANDAS) subgroup: separating fact from fiction. *Pediatrics*. 2004 Apr;113(4):907-11.
- Swedo SE, Grant PJ. Annotation: PANDAS: a model for human autoimmune disease. *J Child Psychol Psychiatry*. 2005 Mar;46(3):227-34.
- Sweeten TL, et al. Increased prevalence of familial autoimmunity in probands with pervasive developmental disorders. *Pediatrics*. 2003.
- Sweeten TL, Posey DJ, McDougle CJ. High blood monocyte counts and neopterin levels in children with autistic disorder. *Am J Psychiatry*. 2003 Sep;160(9):1691-3.
- Sweeten TL, Posey DJ, Shankar S, McDougle CJ. High nitric oxide production in autistic disorder: a possible role for interferon-gamma. *Bio Psychiatry*. 2004 Feb 15;55(4):434-7.
- Trajkovski V, Ajdinski L, Spiroski M. Plasma concentration of immunoglobulin classes and subclasses in children with autism in the Republic of Macedonia: retrospective study. *Croat Med J*. 2004 Dec;45(6):746-9.
- Vojdani A, et al. Low natural killer cell cytotoxic activity in autism: The role of glutathione, IL-2 and IL-15. *J Neuroimmunol*. 2008 Dec 15;205(1-2):148-54.
- Vojdani A, et al. Antibodies to neuron-specific antigens in children with autism: possible cross-reaction with encephalitogenic proteins from milk, Chlamydia pneumoniae and Streptococcus group A. *J Neuroimmunol*. 2002 Aug;129(1-2):168-77.
- Vojdani A, et al. Infections, toxic chemicals and dietary peptides binding to lymphocyte receptors and tissue enzymes are major instigators of autoimmunity in autism. *International J Immunopathol Pharmacology* 16: 189-199, 2003.
- Vojdani A, O'Bryan T, Green JA, Mccandless J, Woeller KN, Vojdani E, Nourian AA, Cooper EL. Immune response to dietary proteins, gliadin and cerebellar peptides in children with autism. *Nutr Neurosci*. 2004 Jun;7(3):151-61.
- Vojdani A, et al. Heat shock protein and gliadin peptide promote development of peptidase antibodies in children with autism and patients with autoimmune disease. *Clin Diagn Lab Immunol*. 2004 May;11(3):515-24.
- Wakefield AJ, Walker-Smith JA, Murch SH. Colonic CD8 and gamma delta T-cell infiltration with epithelial damage in children with autism. *Pediatrics* 2001;138:366-72.
- Warren RP, et al. Immune abnormalities in patients with autism. *J Autism Dev Disord*. 1986 Jun;16(2):189.
- Warren RP, et al. Detection of maternal antibodies in infantile autism. *J Am Acad Child Adolesc Psychiatry*. 1990 Nov;29(6):873-7.
- Warren RP, et al. Reduced natural killer cell activity in autism. *J Am Acad Child Adolesc Psychiatry*. 1987 May;26(3):333-5.
- Warren RP, et al. Immunogenetic studies in autism and related disorders. *Mol Chem Neuropathol*. 1996 May-Aug;28(1-3):77-81.
- Wills S, et al. Autoantibodies in autism spectrum disorders (ASD). *Ann N Y Acad Sci*. 2007 Jun;1107:79-91.
- Yonk LJ, et al. CD4+ helper T cell depression in autism. *Immunol Lett*. 1990 Sep;25(4):341-5.
- Zimecki M, Artym J. Therapeutic properties of proteins and peptides from colostrum and milk. *Postepy Hig Med Dosw*. 2005;59:309-23.
- Zimmerman AW, et al. Maternal antibrain antibodies in autism. *Brain Behav Immun*. 2006 Oct 5.
- Zimmerman AW, et al. Cerebrospinal fluid and serum markers of inflammation in autism. *Pediatr Neurol*. 2005 Sep;33(3):195.

### Mitochondria

- Chugani DC, Sundram BS, Behen M, Lee ML, Moore GJ. Evidence of altered energy metabolism in autistic children. *Prog Neuropsychopharmacol Biol Psychiatry*. 1999 May;23(4):635-41.

## RESEARCH REFERENCES

- Clark-Taylor T, Clark-Taylor BE. Is autism a disorder of fatty acid metabolism? Possible dysfunction of mitochondrial beta-oxidation by long chain acyl-CoA dehydrogenase. *Med Hypotheses* 62(6): 970-5.
- Ehrhart J, Zeevalk GD. Cooperative interaction between ascorbate and glutathione during mitochondrial impairment in mesencephalic cultures. *J Neurochem* 2003 86(6):1487-97.
- Fernandez-Checa JC et al. Oxidative stress: role of mitochondria and protection by glutathione. *Biofactors*. 1998;8(1-2):7-11.
- Filipek PA, Juranek J, et al. Relative carnitine deficiency in autism. *J Autism Dev Disord* 34(6): 615-23, 2004.
- Filipek PA, Juranek J, et al. Mitochondrial dysfunction in autistic patients with 15q inverted duplication. *Ann Neurol* 53(6): 801-4, 2003.
- Fillano JJ, Goldenthal MJ, et al. Mitochondrial dysfunction in patients with hypotonia, epilepsy, autism, and developmental delay: HEADD syndrome. *J Child Neurol* 17(6): 435-9., 2002.
- Gargus JJ, Intiaz F. Mitochondrial energy-deficient endophenotype in autism. *Am J Biochem Biotechnol* 4(2): 198-207, 2008.
- Holtzman D. Autistic spectrum disorders and mitochondrial encephalopathies. *Acta Paediatr*. 2008 Jul;97(7):859-60.
- Kidd PM. Neurodegeneration from mitochondrial insufficiency: nutrients, stem cells, growth factors, and prospects for brain rebuilding using integrative management. *Altern Med Rev*. 2005 Dec;10(4):268-93.
- Lerman-Sagie T, et al. Should autistic children be evaluated for mitochondrial disorders. *J Child Neurol* 19(5): 379-81, 2004.
- Lombard, J. Autism: a mitochondrial disorder? *Med Hypotheses* 50(6): 497-500, 1998.
- Oliveira G, Ataide A, et al. Epidemiology of autism spectrum disorder in Portugal: prevalence, clinical characterization, and medical conditions. *Dev Med Child Neurol* 49(10): 726-33, 2007.
- Oliveira G, Diogo L, et al. Mitochondrial dysfunction in autism spectrum disorders: a population-based study. *Dev Med Child Neurol* 47(3): 185-9, 2005.
- Palmieri L, et al. Altered calcium homeostasis in autism-spectrum disorders: evidence from biochemical and genetic studies of the mitochondrial aspartate/glutamate carrier AGC1. *Mol Psychiatry*. 2010 Jan;15(1):38-52.
- Palmieri L, Persico AM. Mitochondrial dysfunction in autism spectrum disorders: Cause or effect? *Biochim Biophys Acta*. 2010 May.
- Poling JS, et al. Developmental regression and mitochondrial dysfunction in a child with autism. *J Child Neurol* 21(2): 170-2, 2006.
- Pons R, Andreu AL, et al. Mitochondrial DNA abnormalities and autistic spectrum disorders. *J Pediatr* 144(1): 81-5, 2004.
- Ramoz N, Reichert JG, et al. Linkage and association of the mitochondrial aspartate/glutamate carrier SLC25A12 gene with autism. *Am J Psychiatry* 161(4): 662-9, 2004.
- Rossignol DA, Bradstreet JJ. Evidence of mitochondrial dysfunction in autism and implications for treatment. *A J Biochem Biotechnol* 4(2): 208-217, 2008.
- Segurado R, Conroy J, et al. Confirmation of association between autism and the mitochondrial aspartate/glutamate carrier SLC25A12 gene on chromosome 2q31. *Am J Psychiatry* 162(11): 2182-4, 2005.
- Silverman JM, Buxbaum JD, et al. Autism-related routines and rituals associated with a mitochondrial aspartate/glutamate carrier SLC25A12 polymorphism. *Am J Med Genet B Neuropsychiatr Genet*, 2007.
- Shoffner J, et al. Fever Plus Mitochondrial Disease Could Be Risk Factors for Autistic Regression. *J Child Neurol*. 2009 Sep 22.
- Smith M, Spence MA, Flodman P. Nuclear and mitochondrial genome defects in autisms. *Ann. N.Y. Acad. Sci.* 1151:102-132, 2009.
- Trushina E, McMurray CT. Oxidative stress and mitochondrial dysfunction in neurodegenerative diseases. *Neuroscience* 145(4): 1233-48, 2007.
- Tsao CY, Mendell JR. Autistic disorder in 2 children with mitochondrial disorders. *J Child Neurol* 2007; 22(9): 1121-3.
- Weissman JR, et al. Mitochondrial disease in autism spectrum disorder patients: a cohort analysis. *PLoS ONE*. 2008;3(11):e3815.

### Neurological System

- Andari E, Duhamel JR, Zalla T, Herbrecht E, Leboyer M, Sirigu A. Promoting social behavior with oxytocin in high-functioning autism spectrum disorders. *Proc Natl Acad Sci U S A*. 2010 Mar 2;107(9):4389-94.
- Anderson MP, Hooker BS, Herbert MR. Bridging from Cells to Cognition in Autism Pathophysiology: Biological Pathways to Defective Brain Function and Plasticity. *Am J Biochem Biotechnol* 4(2): 167-176, 2008.
- Bauman ML, Kemper TL. Neuroanatomic observations of the brain in autism: a review and future directions. *Int J Dev Neurosci* 2005; 23:183-7.
- Connor DF, Fletcher KE, Swanson JM. A meta-analysis of clonidine for symptoms of attention-deficit hyperactivity disorder. *J Am Acad Child Adolesc Psychiatry*. 1999 Dec;38(12):1551-9.
- Corbett BA, Mendoza S, et al. Cortisol circadian rhythms and response to stress in children with autism. *Psychoneuroendocrinology* 2006; 31(1): 59-68.
- Corbett BA, Schupp CW, Levine S, Mendoza S. Comparing cortisol, stress, and sensory sensitivity in children with autism. *Autism Res*. 2009 Feb;2(1):39-49.
- De Miranda J, et al. Astrocytes recognize intracellular polyinosinic-polycytidylic acid via MDA-5. *FASEB J*. 2009 Apr;23(4):1064.
- Deutsch SI, Urbano MR, Neumann SA, Burket JA, Katz E. Cholinergic abnormalities in autism: is there a rationale for selective nicotinic agonist interventions? *Clin Neuropharmacol*. 2010 May;33(3):114-20.
- Dufour F et al. Modulation of absence seizures by branched-chain amino acids: correlation with brain amino acid concentrations. *Neurosci Res*. 2001 Jul;40(3):255-63.
- Erickson CA, Posey DJ, Stigler KA, Mullett J, Katschke AR, McDougale CJ. A retrospective study of memantine in children and adolescents with pervasive developmental disorders. *Psychopharmacology (Berl)*. 2006 Oct 3.
- Friedman SD, Shaw DW, Artru AA, Richards TL, Gardner J, Dawson G, Posse S, Dager SR. Regional brain chemical alterations in young children with autism spectrum disorder. *Neurology*. 2003 Jan 14;60(1):100-7.
- Garbett K, Ebert PJ, Mitchell A, Lintas C, Manzi B, Mirmiran K, Persico AM. Immune transcriptome alterations in the temporal cortex

## RESEARCH REFERENCES

- of subjects with autism. *Neurobiol Dis.* 2008 Jun;30(3):303-11.
- Guastella AJ, Einfeld SL, Gray KM, Rinehart NJ, Tonge BJ, Lambert TJ, Hickie IB. Intranasal oxytocin improves emotion recognition for youth with autism spectrum disorders. *Biol Psychiatry.* 2010 Apr 1;67(7):692-4.
- Helms AK, Whelan HT, Torbey MT. Hyperbaric oxygen therapy of cerebral ischemia. *Cerebrovasc Dis.* 2005;20(6):417-26.
- Helt M, et al. Can children with autism recover? If so, how? *Neuropsychol Rev.* 2008 Dec;18(4):339-66.
- Herbert M., Autism: A Brain disorder, or disorder that affects the brain? *Clinical Neuropsychiatry* 2006; 2:354-79.
- Herbert MR. Large brains in autism: the challenge of pervasive abnormality. *Neuroscientist* 2005. 11(5): 417-40.
- Hollander E, et al. Oxytocin Increases Retention of Social Cognition in Autism. *Biol Psychiatry.* 2006 Aug 10.
- Hrdlicka M et al. Not EEG abnormalities but epilepsy is associated with autistic regression and mental functioning in childhood autism. *Eur Child Adolesc Psychiatry.* 2004 13(4):209-13.
- King BH, Bostic JQ. An update on pharmacologic treatments for autism spectrum disorders. *Child Adolesc Psychiatr Clin N Am.* 2006 Jan;15(1):161-75.
- Krakowiak P, Goodlin-Jones B, Hertz-Picciotto I, Croen LA, Hansen RL. Sleep problems in children with autism spectrum disorders, developmental delays, and typical development: a population-based study. *J Sleep Res.* 2008 Jun;17(2):197-206.
- Levy ML, et al. Vagus nerve stimulation therapy in patients with autism spectrum disorder and intractable epilepsy: results from the vagus nerve stimulation therapy patient outcome registry. *J Neurosurg Pediatr.* 2010 Jun;5(6):595-602.
- López-Hurtado E, Prieto JJ. A microscopic study of language-related cortex in autism. *Am J Biochem Biotechnol* 2008; 4(2): 130.
- Lewine JD, et al. Magnetoencephalographic patterns of epileptiform activity in children with regressive autism spectrum disorders. *Pediatrics.* 1999 Sep;104(3 Pt 1):405-18.
- MacFabe DF, et al. Neurobiological effects of intraventricular propionic acid in rats: possible role of short chain fatty acids on the pathogenesis and characteristics of autism spectrum disorders. *Behav Brain Res.* 2007 Jan 10;176(1):149-69.
- McCracken JT, et al. Risperidone in children with autism and serious behavioral problems. *N Engl J Med* 2002 347(5): 314-21.
- Mehler MF, Purpura DP. Autism, fever, epigenetics and the locus coeruleus. *Brain Res Rev.* 2008 Nov 24.
- Ohnishi T, et al. Abnormal regional cerebral blood flow in childhood autism. *Brain.* 2000 Sep;123 ( Pt 9):1838-44.
- Pardo CA, Eberhart CG. The neurobiology of autism. *Brain Pathol* 2007; 17(4): 434-47.
- Park YD. The effects of vagus nerve stimulation therapy on patients with intractable seizures and either Landau-Kleffner syndrome or autism. *Epilepsy Behav.* 2003 Jun;4(3):286-90.
- Plioplys AV, Greaves A, Yoshida W. Anti-CNS antibodies in childhood neurologic diseases. *Neuropediatrics.* 1989;20:93.
- Posey DJ, Puntney JJ, Sasher TM, Kem DL, McDougle CJ. Guanfacine treatment of hyperactivity and inattention in pervasive developmental disorders: a retrospective analysis of 80 cases. *J Child Adolesc Psychopharmacol.* 2004 Summer;14(2):233-41.
- Ramaekers VT, Blau N, Sequeira JM, Nassogne MC, Quadros EV. Folate receptor autoimmunity and cerebral folate deficiency in low-functioning autism with neurological deficits. *Neuropediatrics.* 2007 Dec;38(6):276-81.
- Rossignol DA, Rossignol LW. Hyperbaric oxygen therapy may improve symptoms in autistic children. *Med Hypotheses.* 2006;67(2):216-28.
- Rossignol DA, et al. Hyperbaric treatment for children with autism: a multicenter, randomized, double-blind, controlled trial. *BMC Pediatr.* 2009 Mar 13;9(1):21.
- Russo N, Nicol T, Trommer B, Zecker S, Kraus N. Brainstem transcription of speech is disrupted in children with autism spectrum disorders. *Dev Sci.* 2009 Jul;12(4):557-67.
- Ryu YH, et al. Perfusion impairments in infantile autism on technetium-99m ethyl cysteinate dimer brain single-photon emission tomography: comparison with findings on magnetic resonance imaging. *Eur J Nucl Med.* 1999 Mar;26(3):253-9.
- Shattock P, Kennedy A, Rowell F, Berney T. Role of neuropeptides in autism and their relationship with classical neurotransmitters. *Brain Dysfunction* 1990;3: 328-345.
- Shultz SR, MacFabe DF, et al. Intracerebroventricular injection of propionic acid, an enteric bacterial metabolic end-product, impairs social behavior in the rat: Implications for an animal model of autism. *Neuropharmacology.* 2008 May;54(6):901-11.
- Tharp BR. Epileptic encephalopathies and their relationship to developmental disorders: Do spikes cause autism? *Ment Retard Dev Disabil Res Rev.* 2004;10(2):132-4.
- Thomas RH, et al. Altered brain phospholipid and acylcarnitine profiles in propionic acid infused rodents: further development of a potential model of autism spectrum disorders. *J Neurochem.* 2010 Apr 1;113(2):515-29.
- Toal F, et al. Clinical and anatomical heterogeneity in autistic spectrum disorder: a structural MRI study. *Psychol Med.* 2010 Jul;40(7):1171-81.
- Toda Y, Mori K, Hashimoto T, Miyazaki M, Nozaki S, Watanabe Y, Kuroda Y, Kagami S. Administration of secretin for autism alters dopamine metabolism in the central nervous system. *Brain Dev.* 2006 Mar;28(2):99-103.
- Vargas DL, Nascimbene C, Krishnan C, Zimmerman AW, Pardo CA. Neuroglial activation and neuroinflammation in the brain of patients with autism. *Ann Neurol.* 2005 Jan;57(1):67-81.
- Wang XF, Cynader MS. Astrocytes provide cysteine to neurons by releasing glutathione. *J Neurochem.* 2000 74(4):1434-42.
- Welch MG, Ludwig RJ, Opler M, Ruggiero DA. Secretin's role in the cerebellum: a larger biological context and implications for developmental disorders. *Cerebellum.* 2006;5(1):2-6.
- Welch MG, Ruggiero DA. Predicted role of secretin and oxytocin in the treatment of behavioral and developmental disorders: implications for autism. *Int Rev Neurobiol.* 2005;71:273-315.
- Zecavati N, Spence SJ. Neurometabolic disorders and dysfunction in autism spectrum disorders. *Curr Neurol Neurosci Rep.* 2009 Mar;9(2):129-36.

### Nutritional Deficiencies, Supplements, & Diet

## RESEARCH REFERENCES

- Adams JB, Holloway C. Pilot study of a moderate dose multivitamin/mineral supplement for children with autistic spectrum disorder. *J Altern Complement Med*. 2004 Dec;10(6):1033-9.
- Adams JB, George F, Audhya T. Abnormally high plasma levels of vitamin B6 in children with autism not taking supplements compared to controls not taking supplements. *J Altern Complement Med*. 2006 Jan-Feb;12(1):59-63.
- Aldred S, et al. Plasma amino acid levels in children with autism and their families. *J Autism Dev Disord*. 2003 Feb;33(1):93-7.
- Amminger GP, Berger GE, Schafer MR, Klier C, Friedrich MH, Feucht M. Omega-3 Fatty Acids Supplementation in Children with Autism: A Double-blind Randomized, Placebo-controlled Pilot Study. *Biol Psychiatry*. 2006 Aug 22.
- Andersen IM, et al. Melatonin for Insomnia in Children With Autism Spectrum Disorders. *J Child Neurol*. 2008 Jan 8.
- Arnold GL et al. Plasma amino acids profiles in children with autism: potential risk of nutritional deficiencies. *J Autism Dev Disord* 2003 33(4):449-54.
- Ashkenazi A, Levin S, Krasilowsky D. Gluten and autism. *Lancet*. 1980 Jan 19;1(8160):157.
- Baker SB, Worthley LI. The essentials of calcium, magnesium and phosphate metabolism: part I. Physiology. *Crit Care Resusc*. 2002 Dec;4(4):301-6.
- Barthelemy C, et al. Biological and clinical effects of oral magnesium and associated magnesium-vitamin B6 administration on certain disorders observed in infantile autism. *Therapie*. 1980 Sep-Oct;35(5):627-32.
- Bolman WM, Richmond JA. A double-blind, placebo-controlled, crossover pilot trial of low dose dimethylglycine in patients with autistic disorder. *J Autism Dev Disord*. 1999 Jun;29(3):191-4.
- Bruni O, et al. L -5-Hydroxytryptophan treatment of sleep terrors in children. *Eur J Pediatr*. 2004 Jul;163(7):402-7.
- Bu B, Ashwood P, Harvey D, King IB, Water JV, Jin LW. Fatty acid compositions of red blood cell phospholipids in children with autism. *Prostaglandins Leukot Essent Fatty Acids*. 2006 Apr;74(4):215-21.
- Carlton R et al. Rational dosages of nutrients have a prolonged effect on learning disabilities. *Alternative Therapies* 2000; 6:85-91.
- Chez MG, Buchanan CP, et al. Double-blind, placebo-controlled study of L-carnosine supplementation in children with autistic spectrum disorders. *J Child Neurol* 2002; 17(11): 833-7.
- Christison GW, Ivany K. Elimination diets in autism spectrum disorders: any wheat amidst the chaff? *J Dev Behav Pediatr*. 2006 Apr;27(2 Suppl):S162-71.
- Connors SL, Crowell DE. Secretin and autism: the role of cysteine. *J Am Acad Child Adolesc Psychiatry*. 1999 Jul;38(7):795-6.
- Curtis LT, Patel K. Nutritional and environmental approaches to preventing and treating autism and attention deficit hyperactivity disorder (ADHD): a review. *J Altern Complement Med*. 2008 Jan-Feb;14(1):79-85.
- Dolske MC, Spollen J, McKay S, Lancashire E, Tolbert L. A preliminary trial of ascorbic acid as supplemental therapy for autism. *Prog Neuropsychopharmacol Biol Psychiatry*. 1993 Sep;17(5):765-74.
- Elder JH. The gluten-free, casein-free diet in autism: an overview with clinical implications. *Nutr Clin Pract*. 2008 Dec-2009 Jan;23(6):583-8.
- El Idrissi A et al. Prevention of epileptic seizures by taurine. *Adv Exp Med Biol*. 2003;526:515-25.
- Erdeve O et al. The probiotic effect of *Saccharomyces boulardii* in a pediatric age group. *J Trop Pediatr*. 2004 Aug;50(4):234-6.
- Fernell E, et al. Serum levels of 25-hydroxyvitamin D in mothers of Swedish and of Somali origin who have children with and without autism. *Acta Paediatr*. 2010 May;99(5):743-7.
- Fernstrom JD. Can nutrient supplements modify brain function? *Am J Clin Nutr*. 2000 Jun;71(6 Suppl):1669S-75S.
- Finegold SM et al. Gastrointestinal microflora studies in late-onset autism. *Clin Infect Dis* 2002 35 (Suppl 1):S6-S16.
- Giannotti F, Cortesi F, Cerquiglini A, Bernabei P. An open-label study of controlled-release melatonin in treatment of sleep disorders in children with autism. *J Autism Dev Disord*. 2006 Aug;36(6):741-52.
- Gill HS, Rutherford KJ, Prasad J, Gopal PK. Enhancement of natural and acquired immunity by *Lactobacillus rhamnosus* (HN001), *Lactobacillus acidophilus* (HN017) and *Bifidobacterium lactis* (HN019). *Br J Nutr*. 2000 Feb;83(2):167-76.
- Grattan-Smith PJ, Wilcken B, Procopis PG, Wise GA. The neurological syndrome of infantile cobalamin deficiency: developmental regression and involuntary movements. *Mov Disord*. 1997 Jan;12(1):39-46.
- Herbert V. Detection of malabsorption of vitamin B12 due to gastric or intestinal dysfunction. *Semin Nucl Med*. 1972 Jul;2(3):220.
- Hsu CL, Lin CY, Chen CL, Wang CM, Wong MK. The effects of a gluten and casein-free diet in children with autism: a case report. *Chang Gung Med J*. 2009 Jul-Aug;32(4):459-65.
- Ishizaki A, Sugama M, Takeuchi N. Usefulness of melatonin for developmental sleep and emotional/behavior disorders—studies of melatonin trial on 50 patients with developmental disorders. *No To Hattatsu*. 1999 Sep;31(5):428-37.
- Johnson, S. Micronutrient accumulation and depletion in schizophrenia, epilepsy, autism and Parkinson's disease? *Med Hypotheses* 2001; 56(5): 641-5.
- Jonas C, Etienne T, Barthelemy C, Jouve J, Mariotte N. Clinical and biochemical value of Magnesium + vitamin B6 combination in the treatment of residual autism in adults. *Therapie*. 1984 Nov-Dec;39(6):661-9.
- Kern JK, Miller VS, Cauler PL, Kendall PR, Mehta PJ, Dodd M. Effectiveness of N,N-dimethylglycine in autism and pervasive developmental disorder. *J Child Neurol*. 2001 Mar;16(3):169-73.
- Kleijnen J, Knipschild P. Niacin and vitamin B6 in mental functioning: a review of controlled trials in humans. *Biol Psychiatry*. 1991 May 1;29(9):931-41.
- Knivsberg AM, et al. A randomised, controlled study of dietary intervention in autistic syndromes. *Nutr Neurosci*. 2002 Sep;5(4).
- Knivsberg AM, et al. Reports on dietary intervention in autistic disorders. *Nutr Neurosci*. 2001;4(1):25-37.
- Kozielec T, Starobrat-Hermelin B. Assessment of magnesium levels in children with attention deficit hyperactivity disorder (ADHD). *Magnes Res*. 1997 Jun;10(2):143-8.
- Lakhan SE, et al. Nutritional therapies for mental disorders. *Nutr J*. 2008 Jan 21;7:2.
- Lelord G, Muh JP, Barthelemy C, Martineau J, Garreau B, Callaway E. Effects of pyridoxine and magnesium on autistic symp-

## RESEARCH REFERENCES

- toms—initial observations. *J Autism Dev Disord.* 1981 Jun;11(2):219-30.
- Lelord G, Callaway E, Muh JP. Clinical and biological effects of high doses of vitamin B6 and magnesium on autistic children. *Acta Vitaminol Enzymol.* 1982;4(1-2):27-44.
- Martineau J, Barthelemy C, Garreau B, Lelord G. Vitamin B6, magnesium, and combined B6-Mg: therapeutic effects in childhood autism. *Biol Psychiatry.* 1985 May;20(5):467-78.
- Megson MN. Is autism a G-alpha protein defect reversible with natural vitamin A? *Med Hypotheses.* 2000 Jun;54(6):979-83.
- Meiri G, et al. Omega 3 fatty acid treatment in autism. *J Child Adolesc Psychopharmacol.* 2009 Aug;19(4):449-51.
- Moretti R, et al. Vitamin B12 and folate depletion in cognition: a review. *Neurol India.* 2004 Sep;52(3):310-8.
- Morris CR, Agin MC. Syndrome of allergy, apraxia, and malabsorption: characterization of a neurodevelopmental phenotype that responds to omega 3 and vitamin E supplementation. *Altern Ther Health Med.* 2009 Jul-Aug;15(4):34-43.
- Mousain-Bosc M, Roche M, Polge A, Pradal-Prat D, Rapin J, Bali JP. Improvement of neurobehavioral disorders in children supplemented with magnesium-vitamin B6. II. Pervasive developmental disorder-autism. *Magnes Res.* 2006 Mar;19(1):53-62.
- Mousain-Bosc M, Roche M, Rapin J, Bali JP. Magnesium VitB6 intake reduces central nervous system hyperexcitability in children. *J Am Coll Nutr.* 2004 Oct;23(5):545S-548S.
- Murch SH, Walker-Smith JA. Nutrition in inflammatory bowel disease. *Baillieres Clin Gastroenterol.* 1998 Dec;12(4):719-38.
- Pfeiffer CC, Braverman ER. Zinc, the brain and behavior. *Biol Psychiatry.* 1982 Apr;17(4):513-32.
- Richardson AJ. Omega-3 fatty acids in ADHD and related neurodevelopmental disorders. *Int Rev Psychiatry.* 2006 Apr;18(2):155-2.
- Rimland, B. High dosage levels of certain vitamins in the treatment of children with severe mental disorders. In D. Hawkins & L. Pauling (Eds.), *Orthomolecular Psychiatry.* 1973 (pp. 513-538).
- Rimland B, Callaway E, Dreyfus P. The effect of high doses of vitamin B6 on autistic children: a double-blind crossover study. *Am J Psychiatry.* 1978 Apr;135(4):472-5.
- Saavedra JM. Use of probiotics in pediatrics: rationale, mechanisms of action, and practical aspects. *Nutr Clin Pract.* 2007 Jun;22(3):351-65.
- Schuchardt JP, Huss M, Stauss-Grabo M, Hahn A. Significance of long-chain polyunsaturated fatty acids (PUFAs) for the development and behaviour of children. *Eur J Pediatr.* 2010 Feb;169(2):149-64.
- Shoenthaler S et al. The effect of vitamin-mineral supplementation on the intelligence of American schoolchildren: a randomized, double-blind, placebo-controlled trial. *J Altern Complement Med* 2000;6:19-29.
- Starobrat-Hermelin B, Kozielc T. The effects of magnesium physiological supplementation on hyperactivity in children with attention deficit hyperactivity disorder (ADHD). Positive response to magnesium oral loading test. *Magnes Res.* 1997 Jun;10(2):149-56.
- Stevens LJ, et al. Essential fatty acid metabolism in boys with attention-deficit hyperactivity disorder. *Am J Clin Nutr* 1995 62(4):7.
- Vancassel S, et al. Plasma fatty acid levels in autistic children. *Prostaglandins Leukot Essent Fatty Acids.* 2001 Jul;65(1):1-7.
- Walsh WJ, et al. Reduced violent behavior following biochemical therapy. *Physiol Behav.* 2004 Oct 15;82(5):835-9.
- Whiteley P, et al. Spot urinary creatinine excretion in pervasive developmental disorders. *Pediatr Int.* 2006 Jun;48(3):292-7.
- Whiteley P, et al. The ScanBrit randomised, controlled, single-blind study of a gluten- and casein-free dietary intervention for children with autism spectrum disorders. *Nutr Neurosci.* 2010 Apr;13(2):87-100.
- Wright B, et al. Melatonin Versus Placebo in Children with Autism Spectrum Conditions and Severe Sleep Problems Not Amenable to Behaviour Management Strategies: A Randomised Controlled Crossover Trial. *J Autism Dev Disord.* 2010 Jun 10.
- Yorbik O, Akay C, et al. Zinc status in autistic children. *J Trace Elem Exp Med* 2004; 17(2): 101-107.
- Young G, Conquer J. Omega-3 fatty acids and neuropsychiatric disorders. *Reprod Nutr Dev.* 2005 Jan-Feb;45(1):1-28.

### Oxidative Stress

- Aw TY. Intestinal glutathione: determinant of mucosal peroxide transport, metabolism, and oxidative susceptibility. *Toxicol Appl Pharmacol.* 2005 May 1;204(3):320-8.
- Bell JG, MacKinlay EE, et al. Essential fatty acids and phospholipase A2 in autistic spectrum disorders. *Prostaglandins Leukot Essent Fatty Acids* 2004; 71(4): 201-4.
- Bell JG, Sargent JR, et al. Red blood cell fatty acid compositions in a patient with autistic spectrum disorder: a characteristic abnormality in neurodevelopmental disorders? *Prostaglandins Leukot Essent Fatty Acids* 2000; 63(1-2): 21-5.
- Blaylock, R. Interactions of cytokines, excitotoxins, and reactive nitrogen and oxygen species in autism spectrum disorders. *J Amer Nutr Assoc* 2003; 6: 21-35.
- Boso M, Emanuele E, et al. Alterations of circulating endogenous secretory RAGE and S100A9 levels indicating dysfunction of the AGE-RAGE axis in autism. *Neurosci Lett* 2006; 410(3): 169-73.
- Chauhan A, Chauhan V. Oxidative stress in autism. *Pathophysiology* 2006; 13(3): 171-81.
- Chauhan A, Chauhan V, et al. Oxidative stress in autism: increased lipid peroxidation and reduced serum levels of ceruloplasmin and transferrin--the antioxidant proteins. *Life Sci* 2004; 75(21): 2539-49.
- Chauhan A, Sheikh A, et al. Increased copper-mediated oxidation of membrane phosphatidylethanolamine in autism. *Am J Biochem Biotechnol* 2008;4(2): 95-100.
- Chauhan V, Chauhan A, et al. Alteration in amino-glycerophospholipids levels in the plasma of children with autism: a potential biochemical diagnostic marker. *Life Sci* 2004; 74(13): 1635-43.
- Danfors T, von Knorring AL, et al. Tetrahydrobiopterin in the treatment of children with autistic disorder: a double-blind placebo-controlled crossover study. *J Clin Psychopharmacol* 2005; 25(5): 485-9.
- Evans TA, Siedlak SL, et al. The autistic phenotype exhibits a remarkably localized modification of brain protein by products of free radical-induced lipid oxidation. *Am J Biochem Biotechnol* 2008; 4(2): 61-72.

## RESEARCH REFERENCES

- Flora SJ, Pande M, Kannan GM, Mehta A. Lead induced oxidative stress and its recovery following co-administration of melatonin or N-acetylcysteine during chelation with succimer in male rats. *Cell Mol Biol* (Noisy-le-grand). 2004;50.
- James SJ, et al. Metabolic endophenotype and related genotypes are associated with oxidative stress in children with autism. *Am J Med Genet B Neuropsychiatr Genet*. 2006 Aug 17.
- James SJ, Slikker W 3rd, Melnyk S, New E, Pogribna M, Jernigan S. Thimerosal neurotoxicity is associated with glutathione depletion: protection with glutathione precursors. *Neurotoxicology*. 2005 Jan;26(1):1-8.
- James SJ, et al. Efficacy of methylcobalamin and folinic acid treatment on glutathione redox status in children with autism. *Am J Clin Nutr*. 2009 Jan;89(1):425-30.
- James SJ, Rose S, Melnyk S, Jernigan S, Blossom S, Pavliv O, Gaylor DW. Cellular and mitochondrial glutathione redox imbalance in lymphoblastoid cells derived from children with autism. *FASEB J*. 2009 Mar 23.
- Jory J, McGinnis WR. Red-cell trace minerals in children with autism. *Am J Biochem Biotechnol* 2008; 4(2): 101-104.
- Kazutoshi N, Naoko N, Emiko T, Man U, Miyuki T, Kaori S. A Preliminary Study of Methylcobalamin Therapy in Autism. *J Tokyo Women's Medical University*. 2005; 75(3/4):64-69.
- Keithahn C, Lerchl A. 5-hydroxytryptophan is a more potent in vitro hydroxyl radical scavenger than melatonin or vitamin C. *J Pineal Res*. 2005 Jan;38(1):62-6.
- Krajcovicova-Kudlackova M, Valachovicova M, Mislanova C, Hudecova Z, Sustrova M, Ostatnikova D. Plasma concentrations of selected antioxidants in autistic children and adolescents. *Bratisl Lek Listy*. 2009;110(4):247-50.
- MacFabe, DF, Rodríguez-Capote K, et al. A novel rodent model of autism: intraventricular infusions of propionic acid increase locomotor activity and induce neuroinflammation and oxidative stress in discrete regions of adult rat brain. *Am J Biochem Biotechnol* 2008; 4(2): 146-166.
- Main PA, Angley MT, Thomas P, O'Doherty CE, Fenech M. Folate and methionine metabolism in autism: a systematic review. *Am J Clin Nutr*. 2010 Jun;91(6):1598-620.
- McGinnis WR. Oxidative stress in autism. *Altern Ther Health Med* 2004; 10(6): 22-36; quiz 37, 92.
- McGinnis WR. Oxidative stress in autism. *Altern Ther Health Med* 2005; 11(1): 19.
- McGinnis WR. Could oxidative stress from psychosocial stress affect neurodevelopment in autism? *J Autism Dev Disord* 2007; 37(5): 993-4.
- McGinnis WR, et al. Discerning the Mauve factor, Part 1&2. *Altern Ther Health Med*. 2008 Mar-Apr&May-Jun;14(3):56-62.
- Miller DM, Woods JS. Urinary porphyrins as biological indicators of oxidative stress in the kidney. Interaction of mercury and cephaloridine. *Biochem Pharmacol* 1993; 46(12): 2235-41.
- Ming X, Stein TP, Brimacombe M, Johnson WG, Lambert GH, Wagner GC. Increased excretion of a lipid peroxidation biomarker in autism. *Prostaglandins Leukot Essent Fatty Acids*. 2005 Nov;73(5):379-84.
- Ming X, et al. Evidence of Oxidative Stress in Autism Derived from Animal Models. *Am J Biochem Biotechnol* 4(2): 218-225, 2008.
- Mostafa GA, et al. Oxidative stress in Egyptian children with autism: relation to autoimmunity. *J Neuroimmunol*. 2010 Feb 26;219(1-2):114-8.
- Ng F, Berk M, et al. Oxidative stress in psychiatric disorders: evidence base and therapeutic implications. *Int J Neuropsychopharmacol* 2008; 1-26.
- Pasca SP, Nemes B, et al. High levels of homocysteine and low serum paraoxonase 1 arylesterase activity in children with autism. *Life Sci* 2006; 78(19): 2244-8.
- Ross M. A. Could oxidative stress be a factor in neurodevelopmental disorders? *Prostaglandins Leukot Essent Fatty Acids* 2000; 63(1-2): 61-3.
- Rosignol DA, Rosignol LW. The effects of hyperbaric oxygen therapy on oxidative stress, inflammation, and symptoms in children with autism: an open-label pilot study. *BMC Pediatr* 2007; 7(1): 36.
- Sajdel-Sulkowska EM, Lipinski B, et al. Oxidative stress in autism: elevated cerebellar 3-nitrotyrosine levels. *Am J Biochem Biotechnol* 2008; 4(2): 73-84.
- Sajdel-Sulkowska EM, et al. Increase in Cerebellar Neurotrophin-3 and Oxidative Stress Markers in Autism. *Cerebellum*. 2009 Apr 9.
- Sierra C, Vilaseca MA, et al. Oxidative stress in Rett syndrome. *Brain Dev* 2001; 23 Suppl 1: S236-9.
- Sogut S, Zoroglu SS, et al. Changes in nitric oxide levels and antioxidant enzyme activities may have a role in the pathophysiological mechanisms involved in autism. *Clin Chim Acta* 2003; 331(1-2): 111-7.
- Sokol DK, Chen D, et al. High levels of Alzheimer beta-amyloid precursor protein (APP) in children with severely autistic behavior and aggression. *J Child Neurol* 2006; 21(6): 444-9.
- Suh JH, Walsh WJ, et al. Altered sulfur amino acid metabolism in immune cells of children diagnosed with autism. *Am J Biochem Biotechnol* 2008; 4(2): 105-113.
- Tchantchou F, Graves M, Shea TB. Expression and activity of methionine cycle genes are altered following folate and vitamin E deficiency under oxidative challenge: modulation by apolipoprotein E-deficiency. *Nutr Neurosci*. 2006 Feb-Apr;9(1-2):17-24.
- Torsdottir G, Hreidarsson S, et al. Ceruloplasmin, superoxide dismutase and copper in autistic patients. *Basic Clin Pharmacol Toxicol* 2005; 96(2): 146-8.
- Yao Y, Walsh WJ, et al. Altered vascular phenotype in autism: correlation with oxidative stress. *Arch Neurol* 2006; 63(8): 1161-4.
- Yorbik O, Sayal A, Akay C, Akbiyik DI, Sohmen T. Investigation of antioxidant enzymes in children with autistic disorder. *Prostaglandins Leukot Essent Fatty Acids*. 2002 Nov;67(5):341-3.
- Zoroglu SS, Armutcu F, et al. Increased oxidative stress and altered activities of erythrocyte free radical scavenging enzymes in autism. *Eur Arch Psychiatry Clin Neurosci*. 2004; 254(3): 143-7.

## Prevalence

## RESEARCH REFERENCES

- ADDM; Centers for Disease Control and Prevention (CDC). Prevalence of autism spectrum disorders - Autism and Developmental Disabilities Monitoring Network, United States, 2006. *MMWR Surveill Summ*. 2009 Dec 18;58(10):1-20.
- Baird G, et al. Prevalence of disorders of the autism spectrum in a population cohort of children in South Thames: the Special Needs and Autism Project (SNAP). *Lancet*. 2006 Jul 15; 368(9531):210-5.
- Barbarese WJ, Katusic SK, Colligan RC, Weaver AL, Jacobsen SJ. The incidence of autism in Olmsted County, Minnesota, 1976-1997: results from a population-based study. *Arch Pediatr Adolesc Med*. 2005 Jan;159(1):37-44.
- Bertrand J, et al. Prevalence of autism in a United States population: the Brick township, NJ, investigation. *Pediatrics* 2001; 108.
- Blaxill MF. What's going on? The question of time trends in autism. *Public Health Reports* 119.6. 536-551 (November 2004)
- Blaxill MF, Baskin DS, Spitzer WO. Blaxill, Baskin, and Spitzer on Croen et al. (2002), "The changing prevalence of autism in California." *J Autism Dev Disord*. 2003 Apr;33(2):223-6; discussion 227-9.
- Byrd, Robert. MIND Institute. Report to the Legislature on the Principle Findings from The Epidemiology of Autism in California: A Comprehensive Pilot Study. UC Davis 17 Oct 2002. [www.dds.ca.gov/autism/pdf/study\\_final.pdf](http://www.dds.ca.gov/autism/pdf/study_final.pdf)
- California Department of Developmental Services "Changes in the Population of Persons with Autism and Pervasive Developmental Disorders in California's Developmental Services System: 1987 through 1998." Report to the Legislature March 1, 1999:1-19.
- Chang HL, Juang YY, Wang WT, Huang CI, Chen CY, Hwang YS. Screening for autism spectrum disorder in adult psychiatric outpatients in a clinic in Taiwan. *Gen Hosp Psychiatry*. 2003 Jul-Aug;25(4):284-8.
- Croen L, et al. The changing prevalence of autism in California. *J Autism Dev Disord*. 2002 Jun;32(3):207-15.
- Croen LA, Grether JK. A Response to Blaxill, Baskin, and Spitzer on Croen et al. (2002), "The Changing Prevalence of Autism in California." *J Autism Dev Disord*, vol 33 April 2003, pp227-229(3).
- Hertz-Piccioto I, Delwiche L. The rise in autism and the role of age at diagnosis. *Epidemiology*. 2009 Jan; 20(1): 84-90.
- Honda H, Shimizu Y, Imai M, Nitto Y. Cumulative incidence of childhood autism: a total population study of better accuracy and precision. *Dev Med Child Neurol*. 2005 Jan;47(1):10-8.
- Kadesjo B, Gillberg C, Hagberg B. Brief report: autism and Asperger syndrome in seven-year-old children: a total population study. *J Autism Dev Disord*. 1999 Aug;29(4):327-31.
- Lauritsen MB, Pedersen CB, Mortensen PB. The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychol Med*. 2004 Oct;34(7):1339-46.
- Lotter V.; Epidemiology of autistic conditions in young children. I. Prevalence. *Soc. Psychiatry* 1966, 1; 124-137.
- Scott FJ, Baron-Cohen S, Bolton P, Brayne C. Brief report: prevalence of autism spectrum conditions in children aged 5-11 years in Cambridgeshire, UK. *Autism*. 2002 Sep;6(3)231-7.
- Smeeth L, Cook C, Fombonne PE, Heavey L, Rodrigues LC, Smith PG, Hall AJ. Rate of first recorded diagnosis of autism and other pervasive developmental disorders in a United Kingdom general practice 1988 to 2001. *BMC Med*. 2004 Nov 9;2:39.
- Yeargin-Allsopp M, et al. Prevalence of autism in a US metropolitan area. *JAMA* 2003 Jan 1;289(1)49-55.

### Viruses and Bacteria in Autism

- Atladóttir HO, Thorsen P, Ostergaard L, Schendel DE, Lemcke S, Abdallah M, Parner ET. Maternal Infection Requiring Hospitalization During Pregnancy and Autism Spectrum Disorders. *J Autism Dev Disord*. 2010 Apr 23.
- Caruso JM et al. Persistent preceding focal neurologic deficits in children with chronic Epstein-Barr virus encephalitis. *J Child Neurol*. 2000 Dec;15(12):791-6.
- Chess S, Fernandez P, Korn S. Behavioral consequences of congenital rubella. *J Pediatr*. 1978 Oct;93(4):699-703.
- DeLong GR, et al. Acquired reversible autistic syndrome in acute encephalopathic illness in children. *Arch Neurol*. 1981 Mar;38(3):191-4.
- Dyken PR. Neuroprogressive disease of post-infectious origin: a review of a resurging subacute sclerosing panencephalitis (SSPE). *Ment Retard Dev Disabil Res Rev*. 2001;7(3):217-25.
- Ghaziuddin M et al. Autistic symptoms following herpes encephalitis. *Eur Child Adolesc Psychiatry*. 2002 Jun;11(3):142-6.
- Gillberg IC. Autistic syndrome with onset at age 31 years: herpes encephalitis as a possible model for childhood autism. *Dev Med Child Neurol*. 1991 Oct;33(10):920-4.
- Gillberg C. Onset at age 14 of a typical autistic syndrome. A case report of a girl with herpes simplex encephalitis. *J Autism Dev Disord*. 1986 Sep;16(3):369-75.
- Hornig M, Weissenbock H, Horscroft N, Lipkin WI. An infection-based model of neurodevelopmental damage. *Proc Natl Acad Sci USA* 1999 Oct 12; 96(21):12102-7.
- Hornig M, Lipkin WI. Infectious and immune factors in the pathogenesis of neurodevelopmental disorders: Epidemiology, hypotheses, and animal models. *Ment Retard Dev Disabil Res Rev* 2001; 7(3):200-10. □
- Ivarsson SA et al. Autism as one of several disabilities in two children with congenital cytomegalovirus infection. *Neuropediatrics*. 1990 May;21(2):102-3.
- Libbey JE, Sweeten TL, McMahon WM, Fujinami RS. Autistic disorder and viral infections. *J Neurovirol*. 2005 Feb;11(1):1-10.
- Nicolson GL, Gan R, Nicolson NL, Haier J. Evidence for Mycoplasma spp., Chlamydia pneumoniae, and human herpes virus-6 coinfections in the blood of patients with autistic spectrum disorders. *J Neurosci Res*. 2007 Apr;85(5):1143-8.
- O'Leary JJ, et al. Measles virus and autism. *Lancet*. 2000 Aug 26;356(9231):772.
- Pletnikov MV, Jones ML, Rubin SA, Moran TH, Carbone KM. Rat model of autism spectrum disorders. Genetic background effects on Borna disease virus-induced developmental brain damage. *Ann N Y Acad Sci*. 2001 Jun;939:318-9.
- Singh VK, Jensen RL. Elevated levels of measles antibodies in children with autism. *Pediatr Neurol*. 2003 Apr;28(4):292-4.
- Singh VK et al. Abnormal measles-mumps-rubella antibodies and CNS autoimmunity in children with autism. *J Biomed Sci*. 2002 Jul-Aug;9(4):359-64.

## **RESEARCH REFERENCES**

- Singh VK et al. Serological association of measles virus and human herpesvirus-6 with brain autoantibodies in autism. *Clin Immunol Immunopathol* 1998 89(1):105-8.
- Stubbs EG, Budden SS, Burger DR, Vandenbark AA. Transfer factor immunotherapy of an autistic child with congenital cytomegalovirus. *J Autism Dev Disord*. 1980 Dec;10(4):451-8.
- Sweeten TL, Posey DJ, McDougle CJ. Brief report: autistic disorder in three children with cytomegalovirus infection. *J Autism Dev Disord*. 2004 Oct;34(5):583-6.
- Valsamakis A et al. Altered virulence of vaccine strains of measles virus after prolonged replication in human tissue. *J Virol*. 1999 73(10): 8791-7.